PRICE LIST



Cabrio (8W6A) from 2019/11

From the racetrack to the road







10

ABT Engine Technology

	Description	Order No.	Price in Euro excl. VAT*	
ABT Power S	for vehicles with WLTP registration (with gasoline particle filter) 3,0 TFSI 260 kW (354 HP), 500 Nm to approx. 300 kW (408 HP), 550 Nm engine code: CWGD	8W6A1030408CWGD/1	3.857,14	D
assembly	assembly per engine upgrade		252,10	

As your premium partner for vehicle tuning, we offer you the best warranty services after a performance upgrade with up to **5 years warranty** after initial delivery of the vehicle. You can find the exact warranty conditions at: www.abt-sportsline.com/service-and-warranty

In some cases, a TÜV certificate is only available at a later date. Please inform yourself before the performance increase whether the TÜV certificate for your vehicle variant is already available.

Please check the already installed tires with regard to the speed release. If the tire is not released up to the specified maximum speed, appropriate tires must be installed as an alternative to the ABT Power performance upgrade.





1	
0	0
<u> </u>	\neg

ABT Aerodynamics

		Description	Order No.	Price in Euro excl. VAT*	
ABT Aerodynamics	ABT - FENDER EMBLEM CARBON GLOSS material: carbon fibre reinforced plastic (CFK)		8W608024258-1	495,80	F
	Montage			184,87	



ABT Aerodynamics products may imply restrictions and exclusions when mounted to series vehicles. You can find out about applying restrictions (not mountable on vehicle with/without S-line/R-line exterior package, coupling device etc.) in ABT Configurator, at ABT partners or directly at ABT Sportsline.





	ABT Sport Wheels					
	Description	Order No.	Price in Euro excl. VAT*	2		
ABT wheel sets ER-C	ABT - ER-C20 - SPORT ALLOY WHEEL SET ER-C20 - 9,0 x 20 - bolt circle: 5/112 - offset: 40 - center bore: 66,45 mm - ball: 25,6 mm color: matt black - incl. ABT wheel spacer set HR4055668-2	FERC2090401266MB-40	3.831,93	С		
ABT wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - SPORT ALLOY WHEEL SET GR20 - 9.0 x 20 - bolt circle: 5/112 - offset: 33 - hub diameter: 66.5 mm - cone: 60° color: glossy black - incl. wheel spacer set HR30556645665-8	FGRC2090331266GB-1-30-2	3.831,93	С		
	ABT - SPORT GR20 MATT BLACK - SPORT ALLOY WHEEL SET GR20 - 9.0 x 20 - bolt circle: 5/112 - offset: 33 - hub diameter: 66.5 mm - cone: 60° color: matt black / diamond polished - incl. wheel spacer set HR30556645665-8	FGRC2090331266MB-2-30-2	3.831,93	С		
ABT complete wheel sets ER-C	ABT - ER-C20 COMPLETE WHEEL SET ER-C20 - 9.0 x 20 - bolt circle: 5/112 - offset: 40 - hub diameter: 66.5 mm - ball: 25.6 mm color: matt black - incl. tyre: 255/30 R20 - incl. wheel spacer set HR4055668-2	ERC2090401266MB-25530-40	5.176,47	С		







ABT Sport Wheels

	Description	Order No.	Price in Euro excl. VAT*	
ABT complete wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET GR20 - 9.0 x 20 - bolt circle: 5/112 - offset: 33 - hub diameter: 66.5 mm - cone: 60° color: glossy black - incl. tires 255/30 R20 - incl. wheel spacer set HR30556645665-8	GRC2090331266GB12553030	5.176,47	С
	ABT - SPORT GR20 MATT BLACK - COMPLETE WHEEL SET GR20 - 9.0 x 20 - bolt circle: 5/112 - offset: 33 - hub diameter: 66.5 mm - cone: 60° color: matt black / diamond polished - incl. tires 255/30 R20 - incl. wheel spacer set HR30556645665-8	GRC2090331266MB22553030	5.176,47	С
Montage	Montage per ABT complete wheel set		56,30	
ABT valves / RDKS	4 valve caps with ABT logo	ANA000010	23,53	С



FROM NOVEMBER 2014 ON ALL VEHICLES ARE EQUIPPED WITH A TIRE PRESSURE MONITORING SYSTEM.

- 1. Indirectly measuring tire pressure monitoring system: No sensors are needed in the rims, because the measurement is made via the tire circumference.
- 2. Directly measuring tire pressure monitoring system: The tire pressure monitoring sensors are installed directly in each wheel. Please indicate when ordering whether the vehicle has installed a directly or indirectly measuring system. With a directly measuring system, additional costs are incurred due to the integration of the sensors.





>
_
_

ABT Suspension

	Description	Order No.	Price in Euro excl. VAT*	
ABT suspension	ABT - HEIGHT ADJUSTABLE-SUSPENSION SPRINGS für A4/S4 Avant quattro, A5/S5 Sportback/Cabrio quattro with electronical damper control FA-load: from 1136 kg up to 1260 kg, RA-load: up to 1265 kg Lowering FA 15-40mm, RA 15-40mm	8W005002130	932,77	С
	ABT - HEIGHT ADJUSTABLE-SUSPENSION SPRINGS für A4/S4 Avant quattro, A5/S5 Sportback/Cabrio quattro without electronical damper control for vehicles with suspension strut diameter (48,5mm or 50mm) FA-load: from 1136 kg up to 1260 kg, RA-load: up to 1265 kg Lowering FA 15-40mm, RA 15-40mm	8W005002140/1	1.050,42	С
assembly	assembly per Gewindefahrwerksfedern		857,14	
ABT anti roll bars	ABT - ANTI-ROLL BARS for front- and rear axle	8W605024300	806,72	С
assembly	assembly per Sportstabilisatoren		722,69	



ABT Suspension products may imply restrictions when mounted. You can find about applying restrictions (lesser lowering of suspension setting on vehicles with sport suspension ex factory or no mounting on vehicles with certain features etc.) in ABT Configurator, at ABT partners or directly at ABT Sportsline.

It is possible that additional costs occur when mounting ABT Suspension products. These costs are not implied with the general assembly costs. Current manufacturer instructions have to be followed.







ABT Interior

	Description	Order No.	Price in Euro excl. VAT*	
ABT Interior	ABT - START-STOP-SWITCH-CAP Start-Stop Switch Cap with ABT logo, only suitable for left hand driven vehicles with integrated illuminated ABT logo	8W607024130	42,86	С
	Montage		126,05	
	ABT - START-STOP-SWITCH-CAP RHD Start-Stop Switch Cap with ABT logo, only suitable for right hand driven vehicles with integrated illuminated ABT logo	8W607024131	42,86	С
	Montage		126,05	
	ABT - INTEGRATED ENTRANCE LIGHTS for Audi vehicles with serial integrated entrance lights set of 2 LED lights with ABT logo for front and passenger door	AN0700160-1	51,26	E
	Montage		36,13	
	ABT - SHIFT KNOB COVER leather - carbon / 1 piece incl. ABT logo	AN707001240-1	411,76	F
	Montage		45,38	